

## Relevant Articles : Malaria in Pregnancy

The Malaria in Pregnancy Consortium maintains a [Malaria in Pregnancy \(MiP\) Library](http://www.mip-consortium.org/resource_centre/index.htm), a bibliographic database of published and unpublished literature relating to malaria in pregnancy, including a trial registry of planned and ongoing trials, for use by scientists, policy makers, funding agencies, industry and other interested parties, at [http://www.mip-consortium.org/resource\\_centre/index.htm](http://www.mip-consortium.org/resource_centre/index.htm). Many of the articles listed below are in this database.

- Ashwood-Smith, H., Y. Coombes, et al. (2002). "Availability and use of sulphadoxine-pyrimethamine (SP) in pregnancy in Blantyre District: A Safe Motherhood and Blantyre Integrated Malaria Initiative (BIMI) Joint Survey." Malawi Medical Journal 14(1): 8-11.
- Ayisi, J., A. van Eijk, et al. (2004). "Maternal malaria and perinatal HIV transmission, western Kenya." Emerging Infectious Diseases 10(4): 643-652.
- Brabin, B. (1991). "An assessment of low birthweight risk in primiparae as an indicator of malaria control in pregnancy." International Journal of Epidemiology 20(1): 276-83.
- Brabin, B. J., S. O. Agbaje, et al. (1999). "A birthweight nomogram for Africa, as a malaria-control indicator." Annals of Tropical Medicine & Parasitology 93 Suppl 1: S43-57.
- Brabin, B. J., M. Hakimi, et al. (2001). "An analysis of anemia and pregnancy-related maternal mortality." Journal of Nutrition 131(2S-2): 604S-614S; discussion 614S-615S.
- Briggs, G. G., R. K. Freeman, et al. (1998). *Drugs in pregnancy and lactation: a reference guide to fetal and neonatal risk*. Baltimore, Williams & Wilkins.
- Browne, E. N., G. H. Maude, et al. (2001). "The impact of insecticide-treated bednets on malaria and anaemia in pregnancy in Kassena-Nankana district, Ghana: a randomized controlled trial." Tropical Medicine & International Health 6(9): 667-76.
- Crawley, J., J. Hill, et al. (2007). "From evidence to action? Challenges to policy change and programme delivery for malaria in pregnancy." Lancet Infectious Diseases 7(2): 145-55.
- D'Alessandro, U. (1999). "A rational approach to malaria control in pregnancy in sub-Saharan Africa: the need for a link between scientific research and public-health interventions." Annals of Tropical Medicine & Parasitology 93 Suppl 1: S75-7.
- D'Alessandro, U., P. Langerock, et al. (1996). "The impact of a national impregnated bed net programme on the outcome of pregnancy in primigravidae in The Gambia." Transactions of the Royal Society of Tropical Medicine & Hygiene 90(5): 487-92.
- Desai, M., F. O. ter Kuile, et al. (2007). "Epidemiology and burden of malaria in pregnancy." Lancet Infectious Diseases 7(2): 93-104.
- Dolan, G., F. O. ter Kuile, et al. (1993). "Bed nets for the prevention of malaria and anaemia in pregnancy." Transactions of the Royal Society of Tropical Medicine & Hygiene 87(6): 620-6.
- Goodman, C. A., P. G. Coleman, et al. (2001). "The cost-effectiveness of antenatal malaria prevention in sub-Saharan Africa." American Journal of Tropical Medicine & Hygiene 64(1-2 Suppl): 45-56.

- Greenwood, B., P. Alonso, et al. (2007). "Malaria in pregnancy: priorities for research." Lancet Infectious Diseases 7(2): 169-74.
- Guyatt, H. L., M. H. Gotink, et al. (2002). "Free bednets to pregnant women through antenatal clinics in Kenya: a cheap, simple and equitable approach to delivery." Tropical Medicine and International Health 7(5): 409-20.
- Guyatt, H. L. and R. W. Snow (2001). "The epidemiology and burden of Plasmodium falciparum-related anemia among pregnant women in sub-Saharan Africa." American Journal of Tropical Medicine & Hygiene 64(1-2 Suppl): 36-44.
- Hawley WA, Phillips-Howard PA, ter Kuile FO, Terlouw DJ, Vulule JM, Ombok M et al. (2003). "Community-wide effects of permethrin-treated bed nets on child mortality and malaria morbidity in western Kenya." American Journal of Tropical Medicine & Hygiene; 68 (4 Suppl);121-7.
- Hawley WA, ter Kuile FO, Steketee RW, Nahlen BL, Terlouw DJ, Gimnig JE et al. (2003). Implications of the Western Kenya permethrin-treated bed net study for policy, program implementation, and future research. American Journal of Tropical Medicine & Hygiene; 68 (4 Suppl): 168-73.
- Inion, I., F. Mwanyumba, et al. (2003). "Placental malaria and perinatal transmission of human immunodeficiency virus type 1." Journal of Infectious Diseases 188(11): 1675-8.
- Kayentao K, Kodio M, Newman RD, Maiga H, Doumtabe D, Ongoiba A, Coulibaly D, Keita AS, Maiga B, Mungai M, Parise ME, Doumbo O. (2005). "Comparison of intermittent preventive treatment with chemoprophylaxis for the prevention of malaria during pregnancy in Mali." Journal of Infectious Diseases 1;191(1):109-16.
- Ladner, J., V. Leroy, et al. (2002). "HIV infection, malaria, and pregnancy: a prospective cohort study in Kigali, Rwanda." American Journal of Tropical Medicine & Hygiene 66(1): 56-60.
- Le Hesran, J. Y., M. Cot, et al. (1997). "Maternal placental infection with *Plasmodium falciparum* and malaria morbidity during the first 2 years of life." American Journal of Epidemiology 146(10): 826-31.
- Leke, R. F., R. R. Djokam, et al. (1999). "Detection of the *Plasmodium falciparum* antigen histidine-rich protein 2 in blood of pregnant women: implications for diagnosing placental malaria." Journal of Clinical Microbiology 37(9): 2992-6.
- Luxemburger, C., R. McGready, et al. (2001). "Effects of malaria during pregnancy on infant mortality in an area of low malaria transmission." American Journal of Epidemiology 154(5): 459-65.
- Luxemburger, C., F. Ricci, et al. (1997). "The epidemiology of severe malaria in an area of low transmission in Thailand." Transactions of the Royal Society of Tropical Medicine & Hygiene 91(3): 256-62.
- Marchesini, P. and K. Crawley (2004). Reducing the burden of malaria in pregnancy. Geneva, Roll Back Malaria, World Health Organization.
- McCormick, M. C. (1985). "The contribution of low birth weight to infant mortality and childhood morbidity." New England Journal of Medicine 312(2): 82-90.
- McGready, R. (2002). The use of artemisinin derivatives in pregnancy: the experience on the Thai-Burma border. PREMA-EU. 1: 6-11.
- McGready, R., K. A. Hamilton, et al. (2001). "Safety of the insect repellent N,N-diethyl-M-toluamide (DEET) in pregnancy." American Journal of Tropical Medicine & Hygiene 65(4): 285-9.
- McGready, R., J. A. Simpson, et al. (2001). "A double-blind randomized therapeutic trial of insect repellents for the prevention of malaria in pregnancy."

- Transactions of the Royal Society of Tropical Medicine & Hygiene 95(2): 137-8.
- Menendez, C. (2003). Anaemia in pregnancy in developing areas: its causes and consequences. *Malaria and Anemia in Pregnancy*, Amsterdam, PREMA-EU.
- Menendez, C. (1999). "Priority areas for current research on malaria during pregnancy." *Annals of Tropical Medicine & Parasitology* 93 Suppl 1: S71-4.
- Menendez, C., U. D'Alessandro, et al. (2007). "Reducing the burden of malaria in pregnancy by preventive strategies." *Lancet Infectious Diseases* 7(2): 126-35.
- Menendez, C., A. F. Fleming, et al. (2000). "Malaria-related anaemia." *Parasitology Today* 16(11): 469-76.
- Menendez, C., J. Ordi, et al. (2000). "The impact of placental malaria on gestational age and birth weight." *Journal of Infectious Diseases* 181(5): 1740-5.
- Msyamboza, K., E. Senga, et al. (2007). "Estimation of effectiveness of interventions for malaria control in pregnancy using the screening method." *International Journal of Epidemiology*.
- Mutabingwa, T. K. (2002). Antimalarial Intermittent Treatment during Pregnancy in Africa. *PREMA-EU Newsletter*. Liverpool. 1: 4-6.
- Mwapasa, V., S. J. Rogerson, et al. (2004). "The effect of *Plasmodium falciparum* malaria on peripheral and placental HIV-1 RNA concentrations in pregnant Malawian women." *Aids* 18(7): 1051-1059.
- Nahlen, B. L. (2000). "Rolling back malaria in pregnancy. [letter; comment]." *New England Journal of Medicine* 343(9): 651-2.
- Newman, R. D., A. Hailemariam, et al. (2003). "Burden of Malaria during Pregnancy in Areas of Stable and Unstable Transmission in Ethiopia during a Nonepidemic Year." *Journal of Infectious Diseases* 187(11): 1765-72.
- Newman, R. D., M. E. Parise, et al. (2003). "Safety, efficacy and determinants of effectiveness of antimalarial drugs during pregnancy: implications for prevention programmes in Plasmodium falciparum-endemic sub-Saharan Africa." *Tropical Medicine and International Health* 8(6): 488-506.
- Nosten, F., R. McGready, et al. (2007). "Case management of malaria in pregnancy." *Lancet Infectious Diseases* 7(2): 118-25.
- Nosten, F., R. McGready, et al. (1999). "Effects of Plasmodium vivax malaria in pregnancy." *Lancet* 354(9178): 546-9.
- Nosten, F., F. ter Kuile, et al. (1991). "Malaria during pregnancy in an area of unstable endemicity." *Transactions of the Royal Society of Tropical Medicine & Hygiene* 85(4): 424-9.
- Ouma, P., M. E. Parise, et al. (2006). "A Randomized Controlled Trial of Folate Supplementation When Treating Malaria in Pregnancy with Sulfadoxine-Pyrimethamine." *PLoS Clin Trials* 1(6): e28.
- Parise, M. E., J. G. Ayisi, et al. (1998). "Efficacy of sulfadoxine-pyrimethamine for prevention of placental malaria in an area of Kenya with a high prevalence of malaria and human immunodeficiency virus infection." *American Journal of Tropical Medicine & Hygiene* 59(5): 813-22.
- Parise, M. E., L. S. Lewis, et al. (2003). "A rapid assessment approach for public health decision-making related to the prevention of malaria during pregnancy." *Bulletin of the World Health Organization* 81(5): 316-23.
- Phillips-Howard, P. A. (1999). "Epidemiological and control issues related to malaria in pregnancy." *Annals of Tropical Medicine & Parasitology* 93 Suppl 1: S11-7.

- Rogerson, S. J., L. Hviid, et al. (2007). "Malaria in pregnancy: pathogenesis and immunity." Lancet Infectious Diseases 7(2): 105-17.
- Rogerson, S. J., E. Chaluluka, et al. (2000). "Intermittent sulfadoxine-pyrimethamine in pregnancy: effectiveness against malaria morbidity in Blantyre, Malawi, in 1997-99." Transactions of the Royal Society of Tropical Medicine & Hygiene 94(5): 549-53.
- Saute, F., C. Menendez, et al. (2002). "Malaria in pregnancy in rural Mozambique: the role of parity, submicroscopic and multiple *Plasmodium falciparum* infections." Tropical Medicine and International Health 7(1): 19-28.
- Schultz, L. J., R. W. Steketee, et al. (1994). "The efficacy of antimalarial regimens containing sulfadoxine-pyrimethamine and/or chloroquine in preventing peripheral and placental *Plasmodium falciparum* infection among pregnant women in Malawi." American Journal of Tropical Medicine & Hygiene 51(5): 515-22.
- Schultz, L. J., R. W. Steketee, et al. (1995). Malaria prevention during pregnancy: an antenatal intervention strategy whose time has come. The female client and the health-care provider. J. H. Roberts and C. Vlassoff. Ottawa, International Development Research Centre: 113-128.
- Schultz LJ, Steketee RW, Chitsulo L, Macheso A, Kazembe P, Wirima JJ. (1996). "Evaluation of maternal practices, efficacy, and cost-effectiveness of alternative antimalaria regimens for use in pregnancy: chloroquine and sulfadoxine-pyrimethamine." American Journal of Tropical Medicine and Hygiene 55(1 Suppl): 87-94.
- Shulman, C. E. (1999). "Malaria in pregnancy: its relevance to safe-motherhood programmes." Annals of Tropical Medicine & Parasitology 93 Suppl 1: S59-66.
- Shulman, C. E. and E. K. Dorman (2003). "Importance and prevention of malaria in pregnancy." Transactions of the Royal Society of Tropical Medicine & Hygiene 97(1): 30-5.
- Shulman, C. E., E. K. Dorman, et al. (2002). "Malaria as a cause of severe anaemia in pregnancy." Lancet 360(9331): 494.
- Shulman, C. E., E. K. Dorman, et al. (1999). "Intermittent sulphadoxine-pyrimethamine to prevent severe anaemia secondary to malaria in pregnancy: a randomised placebo-controlled trial." Lancet 353(9153): 632-6.
- Shulman, C. E., E. K. Dorman, et al. (1998). "A community randomized controlled trial of insecticide-treated bednets for the prevention of malaria and anaemia among primigravid women on the Kenyan coast." Tropical Medicine & International Health 3(3): 197-204.
- Singh, N., R. K. Mehra, et al. (2001). "Malaria during pregnancy and infancy, in an area of intense malaria transmission in central India." Annals of Tropical Medicine & Parasitology 95(1): 19-29.
- Singh, N., A. Saxena, et al. (1998). "Studies on malaria during pregnancy in a tribal area of central India (Madhya Pradesh)." Southeast Asian Journal of Tropical Medicine & Public Health 29(1): 10-7.
- Singh, N., M. M. Shukla, et al. (1999). "Epidemiology of malaria in pregnancy in central India." Bulletin of the World Health Organization 77(7): 567-72.
- Sirima, S. B., R. Sawadogo, et al. (2003). "Failure of a Chloroquine Chemoprophylaxis Program to Adequately Prevent Malaria during Pregnancy in Koupela District, Burkina Faso." Clinical Infectious Diseases 36(11): 1374-82.

- Steketee RW, Nahlen BL, Parise ME, Menendez C (2001). The burden of malaria during pregnancy in malaria-endemic areas. American Journal of Tropical Medicine & Hygiene; 64 (1-2 Suppl): 28-35.
- Steketee, R. W., B. L. Nahlen, et al. (2001). "The burden of malaria in pregnancy in malaria-endemic areas." American Journal of Tropical Medicine & Hygiene 64(1-2 Suppl): 28-35.
- Steketee RW, Wirima JJ, Campbell CC (1996). Developing effective strategies for malaria prevention programs for pregnant African women. American Journal of Tropical Medicine & Hygiene; 55(1 Suppl): 95-100.
- Steketee RW, Wirima JJ, Slutsker L, Heymann DL, Breman JG (1996). The problem of malaria and malaria control in pregnancy in sub-Saharan Africa. American Journal of Tropical Medicine & Hygiene; 55 (1 Suppl): 2-7.
- Steketee, R. W., J. J. Wirima, et al. (1996). "Impairment of a pregnant woman's acquired ability to limit *Plasmodium falciparum* by infection with human immunodeficiency virus type-1." American Journal of Tropical Medicine & Hygiene 55(1 Suppl): 42-9.
- ter Kuile, F. O., A. M. van Eijk, et al. (2007). "Effect of sulfadoxine-pyrimethamine resistance on the efficacy of intermittent preventive therapy for malaria control during pregnancy: a systematic review." Jama 297(23): 2603-16.
- ter Kuile, F. O., D. J. Terlouw, et al. (2003). "Reduction of malaria during pregnancy by permethrin-treated bed nets in an area of intense perennial malaria transmission in western Kenya." American Journal of Tropical Medicine & Hygiene 68(4 Suppl): 50-60.
- van Eijk, A. (2004). "Effectiveness of intermittent preventive treatment with sulfadoxine-pyrimethamine for control of malaria in pregnancy in western Kenya: a hospital-based study." Tropical Medicine & International Health 9(3): 351-360.
- van Eijk, A. M., J. G. Ayisi, et al. (2003). "HIV increases the risk of malaria in women of all gravidities in Kisumu, Kenya." Aids 17(4): 595-603.
- Verhoeff, F. H., B. J. Brabin, et al. (1998). "An evaluation of the effects of intermittent sulfadoxine-pyrimethamine treatment in pregnancy on parasite clearance and risk of low birthweight in rural Malawi." Annals of Tropical Medicine & Parasitology 92(2): 141-50.
- Verhoeff, F. H., P. Milligan, et al. (1997). "Gestational age assessment by nurses in a developing country using the Ballard method, external criteria only." Annals of Tropical Paediatrics 17(4): 333-42.
- Ward, S. A., E. J. Sevene, et al. (2007). "Antimalarial drugs and pregnancy: safety, pharmacokinetics, and pharmacovigilance." Lancet Infectious Diseases 7(2): 136-44.
- Williams HA and Jones COH (2004). Review. A critical review of behavioral issues related to malaria control in sub-Saharan Africa: what contributions have social scientists made? Social Sciences and Medicine; 59: 501-523.
- Wolfe, E. B., M. E. Parise, et al. (2001). "Cost-effectiveness of sulfadoxine-pyrimethamine for the prevention of malaria-associated low birth weight." American Journal of Tropical Medicine & Hygiene 64(3-4): 178-86.

World Health Organization (2003). Assessment of the safety of artemisinin compounds in pregnancy: Report of two informal consultations convened by WHO in 2002. Geneva, World Health Organization.

World Health Organization (2000). "Severe falciparum malaria. World Health Organization, Communicable Diseases Cluster." Transactions of the Royal Society of Tropical Medicine & Hygiene 94 Suppl 1: S1-90.

World Health Organization and UNICEF (year). Antenatal Care in Developing Countries: Promises, achievements and missed opportunities. 1-32. ([http://www.childinfo.org/eddb/antenatal/antenatal\\_full.pdf](http://www.childinfo.org/eddb/antenatal/antenatal_full.pdf))

